

PANDEO - COEFICIENTES ω : Para secciones sometidas a pandeo de acero F24 (St 37)

λ	0	1	2	3	4	5	6	7	8	9	λ
20	1.20	1.20	1.21	1.21	1.22	1.22	1.23	1.23	1.24	1.24	20
λ_o	21.9	23	24.2	25.3	26.5	27.6	28.8	29.9	31.2	32.3	λ_o
30	1.25	1.25	1.26	1.27	1.27	1.28	1.28	1.29	1.30	1.30	30
λ_o	33.5	34.7	35.9	37.2	38.3	39.5	40.7	42	43.4	44.5	λ_o
40	1.31	1.32	1.33	1.33	1.34	1.45	1.36	1.37	1.38	1.38	40
λ_o	45.8	47.1	48.4	49.6	50.9	52.3	53.6	55	56.4	57.6	λ_o
50	1.39	1.40	1.41	1.42	1.43	1.44	1.45	1.46	1.47	1.48	50
λ_o	58.9	60.3	61.7	63.2	64.6	66	67.4	68.9	70.3	71.8	λ_o
60	1.50	1.51	1.52	1.53	1.54	1.56	1.57	1.58	1.60	1.61	60
λ_o	73.5	75	75.4	80	79.4	81.2	82.7	84.2	86	87.5	λ_o
70	1.62	1.64	1.65	1.67	1.68	1.70	1.71	1.73	1.74	1.76	70
λ_o	89	90.1	92.5	94.3	96	97.8	99.4	101.3	102.9	104.8	λ_o
80	1.78	1.80	1.81	1.83	1.85	1.87	1.89	1.90	1.92	1.94	80
λ_o	106.7	108.7	110.3	112.3	114.3	116.2	118.2	120	122	124	λ_o
90	1.96	1.98	2.00	2.02	2.05	2.07	2.09	2.11	2.13	2.16	90
λ_o	126	128	130	132.2	134.6	136.7	138.8	140.9	143	145.5	λ_o
100	2.18	2.20	2.23	2.35	2.27	2.30	2.32	2.35	2.37	2.40	100
λ_o	147.6	149.8	152.3	154.5	156.7	159.2	161.5	164	166.3	168.9	λ_o
110	2.43	2.45	2.48	2.51	2.53	2.56	2.60	2.64	2.69	2.78	110
λ_o	171.5	173.7	176.4	179	181.3	184	187	190.1	193.5	196.6	λ_o
120	2.78	2.83	2.87	2.92	2.97	3.02	3.06	3.11	3.16	3.21	120
λ_o	200	203.6	206.7	210.2	213.7	217.2	220.4	224	227.5	231.1	λ_o
130	3.26	3.31	3.36	3.41	3.47	3.52	3.57	3.62	3.68	3.73	130
λ_o	234.7	238.3	242	246	250	253	257	261	265	268	λ_o
140	3.78	3.84	3.89	3.95	4.00	4.06	4.11	4.17	4.23	4.28	140
λ_o	272	276	280	284	288	292	296	300	304	308	λ_o
150	4.34	4.40	4.46	4.52	4.58	4.64	4.70	4.76	4.82	4.88	150
λ_o	312	317	321	325	330	334	338	343	347	351	λ_o
160	4.94	5.00	5.06	5.13	5.19	5.25	5.32	5.38	5.45	5.51	160
λ_o	356	360	364	369	374	378	383	387	392	397	λ_o
170	5.58	5.64	5.71	5.78	5.84	5.91	5.98	6.05	6.11	6.18	170
λ_o	402	406	411	416	420	425	430	435	440	445	λ_o
180	256	6.32	6.39	6.46	6.53	6.61	6.68	6.75	6.82	6.89	180
λ_o	450	455	460	465	470	476	481	486	491	496	λ_o
190	6.97	7.04	7.11	7.19	1.26	7.34	7.41	7.49	7.57	7.64	190
λ_o	502	507	512	518	523	528	534	539	545	550	λ_o
200	7.72	780	7.87	7.95	8.03	8.11	8.19	8.27	8.35	8.43	200
λ_o	556	561	567	572	578	584	590	595	601	607	λ_o
210	8.51	8.59	8.67	8.76	8.84	8.92	9.00	9.09	9.17	9.26	210
λ_o	613	616	624	630	636	642	648	654	660	666	λ_o
220	9.34	9.43	9.51	9.60	9.68	9.77	9.86	9.94	10.03	10.12	220
λ_o	672	679	685	691	697	703	710	716	722	728	λ_o
230	10.21	10.3	10.39	10.48	10.57	10.66	10.75	10.84	10.93	11.02	230
λ_o	735	741	748	754	761	767	774	780	787	793	λ_o
240	11.12	11.21	11.30	11.40	11.49	11.58	11.68	11.77	11.87	11.97	240
λ_o	800	807	813	820	827	834	841	847	854	861	λ_o
250	12.06										250
λ_o	868										λ_o